# RESPAIR SPEX

Lightweight spectacle at only 16g Ultra-thin, Optical Class 1 anti-scratch polycarbonate lens

EN166 • EN170 • 2C-1.2 • 1FTK



### Conformity

Conforms to EN 166 + EN 170 2C-1.2 1FTK. EC Certificate Number 0726, issued by Inspec Certification Limited,

#### **Materials**

Polycarbonate, stainless steel.

#### **Technical Specification**

- · Weighs only 16g
- · Clear anti-scratch lens
- Flexible temples for comfortable fit

## **Performance & Features**

The world's lightest safety eyewear. Clear anti-scratch lenses. Lenses filter out more than 99.9% of harmful UV light. Next generation dual 9.5 base, ultra thin and ultra strong, optically perfect lenses. Vented side arms and integral universal nosebridge. Maximum comfort for all dav use.

### Instructions for Use

In use ensure that the safety spectacles fit comfortably and securely on the head. Ensure that the safety spectacles are in place before entering the hazard area.

#### **Limitations of Use**

Protection will only be offered if the spectacles are fitted correctly. If the safety spectacles become scratched or damaged they should be replaced, likewise if the safety spectacles are subjected to severe impact they should be replaced immediately.

Do not apply paint, solvents or adhesives or self-adhesive labels, except in accordance with instructions from the manufacturer. The safety spectacles, when in contact with the skin may cause allergic reactions to susceptible individuals. If this occurs leave the hazard area, remove the eye shield and seek medical advice.

The attention of users is also to drawn to the dangers of modifying or removing any of the original parts, other than as recommended by the manufacturer. The safety spectacles are not suitable for protection against dust, liquids or molten metals.

## Cleaning and Maintenance

The safety spectacles may be cleaned with soap and warm water and dried with a soft cloth. Do not clean with chemical or abrasive cleaners. The eye shield should be stored out of direct sunlight, away form chemicals and not exposed to extremes of temperature.

